

15A NCAC 02T .0300 – FAST TRACK SEWER SYSTEM EXTENSION APPLICATION
INSTRUCTIONS FOR FORM: FTA 04-16 & SUPPORTING DOCUMENTATION

This application is for sewer extensions involving gravity sewers, pump stations and force mains, or any combination that has been certified by a professional engineer and the applicant that the project meets the requirements of [15A NCAC 02T](#) and the Division's Minimum Design Criteria and that **plans, specifications and supporting documents have been prepared in accordance with, [15A NCAC 02T](#), [15A NCAC 02T .0300](#), [Division policies](#) and [good engineering practices](#).**

While no upfront engineering design documents are required for submittal, in accordance with 15A NCAC 02T .0305(b), design documents must be prepared prior to submittal of a fast track permit application to the Division. This would include plans, design calculations, and project specifications referenced in [15A NCAC 02T .0305](#) and the applicable minimum design criteria. These documents shall be available upon request by the Division.

Projects that are deemed permitted (do not require a permit from the Division) are explained in [15A NCAC 02T.0303](#).

Projects not eligible for review via the fast track process (must be submitted for full technical review):

- Projects that require an environmental assessment in accordance with 15A NCAC 1C .0100;
 - Projects that do not meet any part of the minimum design criteria (MDC) document;
 - Projects that involve a variance from the requirements of 15A NCAC 2T;
 - Pressure sewer systems utilizing septic tank-effluent pumps (STEPS) or simplex grinder pumps;
 - STEP or simplex grinder pumps connecting to pressurized systems (e.g. force mains);
 - Vacuum sewer systems.
-

General – When submitting an application, please use the following instructions as a checklist in order to ensure all required items are submitted. Adherence to these instructions and checking the provided boxes will help produce a quicker review time and reduce the amount of requested additional information. **Failure to submit all required items will necessitate additional processing and review time, and may result in return of the application.** Unless otherwise noted, the Applicant shall submit one original and one copy of the application and supporting documentation.

A. One Original and One Copy of Application and Supporting Documents

- Required unless otherwise noted

B. Cover Letter (Required for All Application Packages):

- List all items included in the application package, as well as a brief description of the requested permitting action.
- Be specific as to the system type, number of homes served, flow allocation required, etc.
- If necessary for clarity, include attachments to the application form.

C. Application Fee (All New and Major Modification Application Packages):

- Submit a check or money order in the amount of **\$480.00** dated within 90 days of application submittal.
- Payable to North Carolina Department of Environmental Quality (NCDEQ)

D. Fast Track (Form: FTA 04-16) Application (Required for All Application Packages):

- Submit the completed and appropriately executed application.
- If necessary for clarity or due to space restrictions, attachments to the application may be made.
- If the Applicant Type in Item I.2 is a corporation or company, provide documentation it is registered for business with the [North Carolina Secretary of State](#).
- If the Applicant Type in Item I.2 is a partnership or d/b/a, enclose a copy of the certificate filed with the Register of Deeds in the county of business.
- The Project Name in Item II.1 shall be consistent with the project name on the flow acceptance letters, agreements, etc.
- The Professional Engineer's Certification on Page 5 of the application shall be signed, sealed and dated by a [North Carolina licensed Professional Engineer](#).
- The Applicant's Certification on Page 5 of the application shall be signed in accordance with [15A NCAC 02T .0106\(b\)](#). Per 15A NCAC 02T .0106(c), an alternate person may be designated as the signing official if a delegation letter is provided from a person who meets the criteria in 15A NCAC 02T .0106(b).

E. Flow Tracking/Acceptance Form (Form: FTSE 04-16) (If Applicable):

- Submit the completed and executed FTSE form from the owners of the downstream sewers and treatment facility.
- Multiple forms maybe required where the downstream sewer owner and wastewater treatment facility are different.
- The flow acceptance indicated in form FTSE must not expire prior to permit issuance and must be dated less than one year prior to the application date.
- Submittal of this application and form FTSE indicates that owner has adequate capacity and will not violate [G.S. 143-215.67\(a\)](#).
- Intergovernmental agreements or other contracts will not be accepted in lieu of a project-specific FTSE.

F. Site Maps (All Application Packages):

- Submit an 8.5-inch x 11-inch color copy of a USGS Topographic Map of sufficient scale to identify the entire project area and closest surface waters.
- Location of the project (gravity sewer, pump stations & force main)
- Downstream connection points and permit number (if known) for the receiving sewer
- Include a street level map showing general project area.

G. Existing Permit (All Modification Packages):

- Submit the most recently issued existing permit.
- Provide a list of any items within the permit the Applicant would like the Division to address during the permit modification (i.e., permit description, flow allocation, treatment facility, etc.).

H. Power Reliability Plan (Required if portable reliability option utilized for Pump Station):

- Per [15A NCAC 02T .0305\(h\)\(1\)](#), submit documentation of power reliability for pumping stations.
- This alternative is only available for average daily flows less than 15,000 gallons per day
- It shall be demonstrated to the Division that the portable source is owned or contracted by the applicant and is compatible with the station. The Division will accept a letter signed by the applicant (see 15A NCAC 02T .0106(b)) or proposed contractor, stating that “the portable power generation unit or portable, independently-powered pumping units, associated appurtenances and personnel are available for distribution and operation of this pump station.”
- **If the portable power source or pump is dedicated to multiple pump stations, an evaluation of all the pump stations' storage capacities and the rotation schedule of the portable power source or pump, including travel timeframes, shall be provided in the case of a multiple station power outage. (Required at time of certification)**

I. Certificate of Public Convenience and Necessity (All Application Packages for Privately-Owned Public Utilities):

- Per [15A NCAC 02T .0115\(a\)\(1\)](#) provide the Certificate of Public Convenience and Necessity from the [North Carolina Utilities Commission](#) demonstrating the Applicant is authorized to hold the utility franchise for the area to be served by the sewer extension, or
- Provide a letter from the [North Carolina Utilities Commission's Water and Sewer Division Public Staff](#) stating an application for a franchise has been received and that the service area is contiguous to an existing franchised area or that franchise approval is expected.

J. Operational Agreements (Applications from HOA/POA and Developers for lots to be sold):

- Home/Property Owners' Associations
 - Per [15A NCAC 02T .0115\(c\)](#), submit the properly executed [Operational Agreement \(FORM: HOA\)](#).
 - Per 15A NCAC 02T .0115(c), submit a copy of the Articles of Incorporation, Declarations and By-laws.
- Developers of lots to be sold
 - Per 15A NCAC 02T .0115(b), submit the properly executed [Operational Agreement \(FORM: DEV\)](#).

For more information, visit the Division's collection systems [website](#)

THE COMPLETED APPLICATION PACKAGE INCLUDING ALL SUPPORTING INFORMATION AND MATERIALS, SHOULD BE SENT TO THE APPROPRIATE REGIONAL OFFICE:

| REGIONAL OFFICE | ADDRESS | COUNTIES SERVED |
|--------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <u>Asheville Regional Office Water Quality Section</u> | 2090 US Highway70 Swannanoa, North Carolina 28778 (828) 296-4500 (828) 299-7043 Fax | Avery, Buncombe, Burke, Caldwell, Cherokee, Clay, Graham, Haywood, Henderson, Jackson, Macon, Madison, McDowell, Mitchell, Polk, Rutherford, Swain, Transylvania, Yancey |
| <u>Fayetteville Regional Office Water Quality Section</u> | 225 Green Street Suite 714 Fayetteville, North Carolina 28301-5094 (910) 433-3300 (910) 486-0707 Fax | Anson, Bladen, Cumberland, Harnett, Hoke, Montgomery, Moore, Robeson, Richmond, Sampson, Scotland |
| <u>Mooresville Regional Office Water Quality Section</u> | 610 E. Center Avenue Mooresville, North Carolina 28115 (704) 663-1699 (704) 663-6040 Fax | Alexander, Cabarrus, Catawba, Cleveland, Gaston, Iredell, Lincoln, Mecklenburg, Rowan, Stanly, Union |
| <u>Raleigh Regional Office Water Quality Section</u> | 1628 Mail Service Center Raleigh, North Carolina 27699-1628 (919) 791-4200 (919) 788-7159 Fax | Chatham, Durham, Edgecombe, Franklin, Granville, Halifax, Johnston, Lee, Nash, Northampton, Orange, Person, Vance, Wake, Warren, Wilson |
| <u>Washington Regional Office Water Quality Section</u> | 943 Washington Square Mall Washington, North Carolina 27889 (252) 946-6481 (252) 975-3716 Fax | Beaufort, Bertie, Camden, Chowan, Craven, Currituck, Dare, Gates, Greene, Hertford, Hyde, Jones, Lenoir, Martin, Pamlico, Pasquotank, Perquimans, Pitt, Tyrrell, Washington, Wayne |
| <u>Wilmington Regional Office Water Quality Section</u> | 127 Cardinal Drive Extension Wilmington, North Carolina 28405 (910) 796-7215 (910) 350-2004 Fax | Brunswick, Carteret, Columbus, Duplin, New Hanover, Onslow, Pender |
| <u>Winston-Salem Regional Office Water Quality Section</u> | 450 W. Hanes Mill Road Suite 300 Winston-Salem, North Carolina 27105 (336) 776-9800 | Alamance, Alleghany, Ashe, Caswell, Davidson, Davie, Forsyth, Guilford, Rockingham, Randolph, Stokes, Surry, Watauga, Wilkes, Yadkin |



Application Number: _____ (to be completed by DWR)

All items must be completed or the application will be returned

I. APPLICANT INFORMATION:

- 1. Applicant's name: Town of Holly Springs (company, municipality, HOA, utility, etc.)
2. Applicant type: Individual, Corporation, General Partnership, Privately-Owned Public Utility, Federal, State/County, Municipal, Other
3. Signature authority's name: Kendra D. Parrish, P.E. per 15A NCAC 02T .0106(b)
Title: Director of Engineering
4. Applicant's mailing address: 128 South Main Street
City: Holly Springs State: NC Zip: 27540-____
5. Applicant's contact information:
Phone number: (919) 557-3939 Email Address: kendra.parrish@hollyspringsnc.us

II. PROJECT INFORMATION:

- 1. Project name: _____
2. Application/Project status: Proposed (New Permit), Existing Permit/Project
If a modification, provide the existing permit number: WQ00_____ and issued date: _____
If new construction but part of a master plan, provide the existing permit number: WQ00_____
3. County where project is located: _____
4. Approximate Coordinates (Decimal Degrees): Latitude: ____° Longitude: - ____°
5. Parcel ID (if applicable): _____
(or Parcel ID to closest downstream sewer)

III. CONSULTANT INFORMATION:

- 1. Professional Engineer: _____ License Number: _____
Firm: _____
Mailing address: _____
City: _____ State: _____ Zip: _____-_____
Phone number: (____) ____-_____ Email Address: _____

IV. WASTEWATER TREATMENT FACILITY (WWTF) INFORMATION:

- 1. Facility Name: Utley Creek Wastewater Treatment Plan Permit Number: NC0063096
Owner Name: Town of Holly Springs

V. RECEIVING DOWNSTREAM SEWER INFORMATION (if different than WWTF):

- 1. Permit Number(s): WQ_____ Downstream (Receiving) Sewer Size: _____ inch
System Wide Collection System Permit Number(s) (if applicable): WQCS_____
Owner Name(s): _____

VI GENERAL REQUIREMENTS

1. If the Applicant is a Privately-Owned Public Utility, has a Certificate of Public Convenience and Necessity been attached?
 Yes No N/A
2. If the Applicant is a Developer of lots to be sold, has a [Developer's Operational Agreement \(FORM: DEV\)](#) been attached?
 Yes No N/A
3. If the Applicant is a [Home/Property Owners' Association, has an Operational Agreement \(FORM: HOA\)](#) been attached?
 Yes No N/A

4. Origin of wastewater: (check all that apply):

- | | | |
|----------------------------------------------------------|-------------------------------------------------------------------|--------------------------------------------------------|
| <input type="checkbox"/> Residential Owned | <input type="checkbox"/> Retail (stores, centers, malls) | <input type="checkbox"/> Car Wash |
| <input type="checkbox"/> Residential Leased | <input type="checkbox"/> Retail with food preparation/service | <input type="checkbox"/> Hotel and/or Motels |
| <input type="checkbox"/> School / preschool/ day care | <input type="checkbox"/> Medical / dental / veterinary facilities | <input type="checkbox"/> Swimming Pool /Clubhouse |
| <input type="checkbox"/> Food and drink facilities | <input type="checkbox"/> Church | <input type="checkbox"/> Swimming Pool/Filter Backwash |
| <input type="checkbox"/> Businesses /offices / factories | <input type="checkbox"/> Nursing Home | <input type="checkbox"/> Other (Explain in Attachment) |

5. Nature of wastewater : _____% Domestic/Commercial _____% Commercial
 _____% Industrial ([See 15A NCAC 02T .0103\(20\)](#))
 ↳ Is there a Pretreatment Program in effect? Yes No

6. Has a flow reduction been approved under [15A NCAC 02T .0114\(f\)](#)? Yes No
 ➤ **If yes, provide a copy of flow reduction approval letter**

7. Summarize wastewater generated by project:

| Establishment Type (see 02T.0114(f)) | Daily Design Flow ^{a,b} | No. of Units | Flow |
|-------------------------------------------------------|----------------------------------|--------------|------|
| | gal/ | | GPD |
| | gal/ | | GPD |
| | gal/ | | GPD |
| | gal/ | | GPD |
| | gal/ | | GPD |
| | gal/ | | GPD |
| | | <i>Total</i> | GPD |

- a See [15A NCAC 02T .0114\(b\), \(d\), \(e\)\(1\) and \(e\)\(2\)](#) for caveats to wastewater design flow rates (i.e., minimum flow per dwelling; proposed unknown non-residential development uses; public access facilities located near high public use areas; and residential property located south or east of the Atlantic Intracoastal Waterway to be used as vacation rentals as defined in [G.S. 42A-4](#)).
- b Per 15A NCAC 02T .0114(c), design flow rates for establishments not identified [in table [15A NCAC 02T.0114](#)] shall be determined using available flow data, water using fixtures, occupancy or operation patterns, and other measured data.

8. Wastewater generated by project: ___ GPD (per [15A NCAC 02T .0114](#))

➤ Do not include future flows or previously permitted allocations

If permitted flow is zero, indicate why:

- Pump Station or Gravity Sewer where flow will be permitted in subsequent permits that connect to this line
- Flow has already been allocated in Permit Number: _____
- Rehabilitation or replacement of existing sewer with no new flow expected
- Other (Explain): _____

VII. GRAVITY SEWER DESIGN CRITERIA (If Applicable) - [02T.0305](#) & [MDC \(Gravity Sewers\)](#):

1. Summarize gravity sewer to be permitted:

| Size (inches) | Length (feet) | Material |
|---------------|---------------|----------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

- Section II & III of the MDC for Permitting of Gravity Sewers contains information related to design criteria
- Section III contains information related to minimum slopes for gravity sewer(s)
- **Oversizing lines to meet minimum slope requirement is not allowed and a violation of the MDC**

VIII. PUMP STATION DESIGN CRITERIA (If Applicable) - [02T.0305](#) & [MDC \(Pump Stations/Force Mains\)](#):

COMPLETE FOR EACH PUMP STATION INCLUDED IN THIS PROJECT

1. Pump station number or name: _____
2. Approximate Coordinates (Decimal Degrees): Latitude: ____° Longitude: - ____°
3. Design flow of the pump station: _____ millions gallons per day (firm capacity)
4. Operational point(s) of the pump(s): _____ gallons per minute at _____ feet total dynamic head (TDH)
5. Summarize the force main to be permitted (for this Pump Station):

| Size (inches) | Length (feet) | Material |
|---------------|---------------|----------|
| | | |
| | | |
| | | |
| | | |

6. Power reliability in accordance with [15A NCAC 02T .0305\(h\)\(1\)](#):

- Standby power source or pump with automatic activation and telemetry - 15A NCAC 02T .0305(h)(1)(B):
- Required for all pump stations with an average daily flow greater than or equal to 15,000 gallons per day
- Must be permanent to facility

Or if the pump station has an average daily flow less than 15,000 gallons per day:

- Portable power source with manual activation, quick-connection receptacle and telemetry - 15A NCAC 02T .0305(h)(1)(C)

or

- Portable pumping unit with plugged emergency pump connection and telemetry - 15A NCAC 02T .0305(h)(1)(C):
- It shall be demonstrated to the Division that the portable source is owned or contracted by the applicant (draft agreement) and is compatible with the station.
- If the portable power source or pump is dedicated to multiple pump stations, an evaluation of all the pump stations' storage capacities and the rotation schedule of the portable power source or pump, including travel timeframes, shall be provided in the case of a multiple station power outage.

IX. SETBACKS & SEPARATIONS – (02B .0200 & 15A NCAC 02T.0305(f)):

1. Does the project comply with all separations found in [15A NCAC 02T.0305\(f\) & \(g\)](#) Yes No

➤ 15A NCAC 02T.0305(f) contains minimum separations that shall be provided for sewer systems:

| Setback Parameter* | Separation Required |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| Storm sewers and other utilities not listed below (vertical) | 24 inches |
| Water mains (vertical-water over sewer including in benched trenches) | 18 inches |
| Water mains (horizontal) | 10 feet |
| Reclaimed water lines (vertical - reclaimed over sewer) | 18 inches |
| Reclaimed water lines (horizontal - reclaimed over sewer) | 2 feet |
| **Any private or public water supply source, including any wells, WS-I waters of Class I or Class II impounded reservoirs used as a source of drinking water | 100 feet |
| **Waters classified WS (except WS-I or WS-V), B, SA, ORW, HQW, or SB from normal high water (or tide elevation) and wetlands (see item IX.2) | 50 feet |
| **Any other stream, lake, impoundment, or ground water lowering and surface drainage ditches | 10 feet |
| Any building foundation | 5 feet |
| Any basement | 10 feet |
| Top slope of embankment or cuts of 2 feet or more vertical height | 10 feet |
| Drainage systems and interceptor drains | 5 feet |
| Any swimming pools | 10 feet |
| Final earth grade (vertical) | 36 inches |

- [15A NCAC 02T.0305\(g\)](#) contains alternatives where separations in [02T.0305\(f\)](#) cannot be achieved.
- **Stream classifications can be identified using the Division’s [NC Surface Water Classifications webpage](#)
- If noncompliance with [02T.0305\(f\) or \(g\)](#), see Section X of this application

2. Does the project comply with separation requirements for wetlands? (50 feet of separation) Yes No

- See the Division’s draft separation requirements for situations where separation cannot be met
- No variance is required if the alternative design criteria specified is utilized in design and construction
- As built documents should reference the location of areas effected

3. Does the project comply with all setbacks found in the river basin rules per [15A NCAC 02B .0200?](#) Yes No

- This would include Trout Buffered Streams per [15A NCAC 2B.0202](#)

4. Does the project comply with an individual 404 Permit or any 401 Certifications? Yes No

- Wetland-related permits shall be requested, obtained, and adhered to for projects that impact wetlands or surface waters
- Information can be obtained from the [401 & Buffer Permitting Branch](#)

5. Does project comply with [15A NCAC 02T.0105\(c\)\(6\)](#) (additional permits/certifications)? Yes No

Per [15A NCAC 02T.0105\(c\)\(6\)](#), directly related environmental permits or certification applications are being prepared, have been applied for, or have been obtained. Issuance of this permit is contingent on issuance of dependent permits (erosion and sedimentation control plans, stormwater management plans, etc.).

6. Does this project include any sewer collection lines that are deemed “high-priority?”

Per [15A NCAC 02T.0402](#), “high-priority sewer” means “any aerial sewer, sewer contacting surface waters, siphon, or sewer positioned parallel to streambanks that is subject to erosion that undermines or deteriorates the sewer.

Yes No

- If yes, include an attachment with details for each line, including type (aerial line, size, material, and location).

High priority lines shall be inspected by the permittee or its representative at least once every six-months and inspections documented per 15A NCAC 02T.0403(a)(5) or the permittee’s individual System-Wide Collection permit.

X. CERTIFICATIONS:

1. Does the submitted system comply with [15A NCAC 02T](#), the [Minimum Design Criteria for the Permitting of Pump Stations and Force Mains \(latest version\)](#), and the [Gravity Sewer Minimum Design Criteria \(latest version\)](#) as applicable?

Yes No

If No, complete and submit the Variance/Alternative Design Request application (VADC 10-14) and supporting documents for review. **Approval of the request is required prior to submittal of the Fast Track Application and supporting documents.**

2. Professional Engineer's Certification:

I, _____ attest that this application for
(Professional Engineer's name from Application Item III.1.)

has been reviewed by me and is accurate, complete and consistent with the information supplied in the plans, specifications, engineering calculations, and all other supporting documentation to the best of my knowledge. I further attest that to the best of my knowledge the proposed design has been prepared in accordance with the applicable regulations, Gravity Sewer Minimum Design Criteria for Gravity Sewers (latest version), and the Minimum Design Criteria for the Fast-Track Permitting of Pump Stations and Force Mains (latest version). Although other professionals may have developed certain portions of this submittal package, inclusion of these materials under my signature and seal signifies that I have reviewed this material and have judged it to be consistent with the proposed design.

NOTE – In accordance with General Statutes 143-215.6A and 143-215.6B, any person who knowingly makes any false statement, representation, or certification in any application package shall be guilty of a Class 2 misdemeanor, which may include a fine not to exceed \$10,000, as well as civil penalties up to \$25,000 per violation.

North Carolina Professional Engineer's seal, signature, and date:



3. Applicant's Certification per 15A NCAC 02T .0106(b):

I, _____ attest that this application for
(Signature Authority's name & title from Application Item I.3.)

has been reviewed by me and is accurate and complete to the best of my knowledge. I understand that if all required parts of this application are not completed and that if all required supporting documentation and attachments are not included, this application package is subject to being returned as incomplete. I understand that any discharge of wastewater from this non-discharge system to surface waters or the land will result in an immediate enforcement action that may include civil penalties, injunctive relief, and/or criminal prosecution. I will make no claim against the Division of Water Resources should a condition of this permit be violated. I also understand that if all required parts of this application package are not completed and that if all required supporting information and attachments are not included, this application package will be returned to me as incomplete.

NOTE – In accordance with General Statutes [143-215.6A](#) and [143-215.6B](#), any person who knowingly makes any false statement, representation, or certification in any application package shall be guilty of a Class 2 misdemeanor, which may include a fine not to exceed \$10,000 as well as civil penalties up to \$25,000 per violation.

Signature: _____

Date: _____